

Safety Data Sheet

Prepared in accordance with WHS Regulations

Stock Number: 846366PM

Revision Date: None

This document replaces SDS dated: None

FULACAULK AC REDWOOD

Section 1 - Identification

Product identifier: FULACAULK AC REDWOOD

Other means of identification:

Product Description: Caulk

Recommended use of the chemical and restrictions on use:

Recommended use: Industrial adhesive

Restrictions on use: Uses Other than Relevant Use

Details of manufacturer or importer:

Emergency phone number: Medical Emergency Phone Number (24 Hours): 1-888-853-1758
Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Section 2 - Hazard(s) identification

Classification of the hazardous chemical:

GHS Hazard Symbols: No hazard symbols required

GHS Classification: Not classified as hazardous in accordance with GHS.

Signal Word: No signal word

Supplemental Hazard information (AU): None known

Hazards not otherwise classified: None known

Section 3 - Composition and information on ingredients

Substances:
Not applicable

Mixtures:

Safety Data Sheet

Prepared in accordance with WHS Regulations

Stock Number: 846366PM

Revision Date: None

This document replaces SDS dated: None

FULACALK AC REDWOOD

Chemical Name	CAS No.	%	Note
---------------	---------	---	------

*This material is only hazardous when present as an airborne dust. As supplied, and during normal use, the material is encapsulated within the product and will not present an exposure risk.

Unlisted ingredients are not classified as hazardous, based on currently-available information, and are not listed in this section.

Section 4 - First-aid measures

Description of necessary first aid measures:

Inhalation:	Remove to fresh air. Call a physician if symptoms persist.
Eye Contact:	Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing.
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists.
Ingestion:	Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis that may be fatal.
Symptoms caused by exposure:	No data available.
Medical attention and special treatment:	No additional first aid information available

Section 5 - Firefighting measures

Suitable extinguishing equipment:

Suitable extinguishing media:	Use water spray, foam, dry chemical or carbon dioxide. Use water spray, foam, dry chemical or carbon dioxide.
--------------------------------------	---

Safety Data Sheet

Prepared in accordance with WHS Regulations

Stock Number: 846366PM

Revision Date: None

This document replaces SDS dated: None

FULACALK AC REDWOOD

Unsuitable extinguishing media:	None known
Specific hazards arising from the chemical:	
Hazardous combustion products:	Carbon dioxide, Carbon monoxide
Special protective equipment and precautions for firefighters:	Persons exposed to products of combustion should wear self-contained breathing apparatus and full protective equipment.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures:	No adverse health effects expected from the clean-up of spilled material. Follow personal protective equipment recommendations found in Section 8 of this SDS. Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation.
Methods and materials for containment and cleaning up:	Dike if necessary, contain spill with inert absorbent and transfer to containers for disposal. Keep spilled product out of sewers, watersheds, or water systems. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area.
Environmental precautions:	No data available.

Section 7 - Handling and storage

Precautions for safe handling:	No special handling instructions due to toxicity. Avoid breathing vapors/fumes of heated product. Prevent contact with molten product.
Conditions for safe storage, including any incompatibilities:	
Safe storage conditions:	Store in a cool, dry, ventilated location. Keep away from heat, sparks, flame and other sources of ignition. Keep container closed. Protect from freezing.
Materials to Avoid/Chemical Incompatibility:	Not established
Consult the Technical Data Sheet for specific storage instructions.	

Section 8 - Exposure controls and personal protection

Safety Data Sheet

Prepared in accordance with WHS Regulations

Stock Number: 846366PM

Revision Date: None

This document replaces SDS dated: None

FULACALK AC REDWOOD

Exposure control measures:

Chemical component	Note	Australian Exposure Limits	ACGIH EXPOSURE LIMITS
No data available.			

*This material is only hazardous when present as an airborne dust. As supplied, and during normal use, the material is encapsulated within the product and will not present an exposure risk.

Biological Limit Values (ACGIH):

Chemical component	ACGIH Biological Exposure Index (BEI)
No data available.	

Engineering controls:

VENTILATION: General room ventilation might be required under normal conditions of use.

Individual protection measures, for example personal protective equipment (PPE):

Eye and face protection: Wear safety glasses when handling this product.

Skin protection: Not normally required. Wear chemically resistant gloves to prevent prolonged or repeated contact.

Gloves: Not normally required. Use nitrile gloves if conditions warrant.

Respiratory protection: No respiratory protection required under normal conditions of use.

Thermal hazards: Not applicable

Environmental exposure controls: Avoid runoff into storm sewers and ditches that lead to waterways.

Section 9 - Physical and chemical properties

Safety Data Sheet

Prepared in accordance with WHS Regulations

Stock Number: 846366PM

Revision Date: None

This document replaces SDS dated: None

FULACALK AC REDWOOD

Appearance (physical state, colour etc.):

Physical state:	Liquid
Colour:	Black
Odour:	Sweet
Odour Threshold:	Not applicable
pH:	Not established
Melting point/freezing point:	
Melting Point:	Not established
Freezing point:	No data available.
Initial boiling point and boiling range:	Not established
Flash Point:	Non flammable
Flash Point Method:	Not established
Evaporation Rate:	Not established
Flammability (solid, gas):	Not a flammable solid or gas
Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	Not established
Lower flammability or explosive limits:	Not established
Vapour pressure:	Not established
Vapour density:	Not established
WEIGHT PER GALLON (lbs):	13.35
Relative density:	0
Solubility:	Not determined
Partition coefficient: n-octanol/water:	Not established
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.

Section 10 - Stability and reactivity
--

Safety Data Sheet

Prepared in accordance with WHS Regulations

Stock Number: 846366PM

Revision Date: None

This document replaces SDS dated: None

FULACALK AC REDWOOD

Reactivity:	No data available.
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	Will not occur.
Conditions to avoid:	None known.
Incompatible materials:	Not established
Hazardous decomposition products:	Carbon monoxide, carbon dioxide

Section 11 - Toxicological information

Exposure levels and health effects:

Information on possible routes of exposure:	No data available.
Target Organs Potentially Affected by Exposure:	Central nervous system
Chemical Interactions That Change Toxicity:	No chemical interaction known to affect toxicity.
Medical Conditions Aggravated by Exposure:	No medical conditions affected by exposure.
Early onset symptoms related to exposure:	No data available.

Delayed health effects from exposure:

Ingestion Irritation:	No hazard in normal industrial use. Ingestion is not an anticipated route of exposure.
Ingestion Toxicity:	None known
Skin Contact:	No irritation hazard in normal industrial use.
Inhalation Irritation:	Can cause minor respiratory irritation. Inhalation of dusts produced during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.
Inhalation Toxicity:	No data available.

Safety Data Sheet

Prepared in accordance with WHS Regulations

Stock Number: 846366PM

Revision Date: None

This document replaces SDS dated: None

FULACALK AC REDWOOD

Eye Contact:	No irritation hazard in normal industrial use.
Chronic effects	None known.
Skin Contact:	Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and dermatitis.
Sensitization:	No data available.
Mutagenicity:	No data available.
Reproductive Toxicity:	No data available.
Carcinogenicity:	Contains a material that may cause cancer.
Specific Target Organ Toxicity (STOT)-single exposure:	No data available.
Specific Target Organ Toxicity (STOT) -repeated exposure:	No data available.
Aspiration hazard:	Not an aspiration hazard.
Hazards specific to product use:	None known

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
No data available.			

Section 12 - Ecological information

Ecotoxicity: No ecological information available for this product.

Ecological Toxicity Data:

This product has not been tested for ecological effects. Relevant information for components is listed below:

Chemical Name	CAS No.	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available.				

Safety Data Sheet

Prepared in accordance with WHS Regulations

Stock Number: 846366PM

Revision Date: None

This document replaces SDS dated: None

FULACALK AC REDWOOD

Persistence and degradability:	No data available.
Bioaccumulative potential:	No data available.
Mobility in soil:	No data available.
Other adverse effects:	None known

Section 13 - Disposal considerations

Disposal methods:

This product is a prescribed waste and may only be disposed of in accordance with applicable State and local regulations. These regulations vary from jurisdiction to jurisdiction and hence the user is counselled to seek advice from the local authority and classify the waste before considering disposal. The disposal information given below is a general guide and does not replace the requirement of the local regulations.

DISPOSAL: If possible recycle, otherwise dispose strictly in accordance with local industrial waste or environmental protection regulations. This substance may, if permitted by local authorities, be disposed of in an approved incineration facility or be considered for landfill.

SPECIAL PRECAUTIONS: Do not allow this material to contaminate soil, sewerage systems or surface or ground water.

When large amounts of this product need to be disposed of the services of a registered, professional waste disposal organisation is highly recommended.

Waste codes / waste designations:

Empty packaging may contain residues. Dispose of contaminated packaging in the same way as redundant chemicals

Section 14 - Transport information

Safety Data Sheet

Prepared in accordance with WHS Regulations

Stock Number: 846366PM

Revision Date: None

This document replaces SDS dated: None

FULACALK AC REDWOOD

Carriage of dangerous goods by road (ADG), rail or inland waterways:

UN number: No data available.

Proper shipping name or technical name: Not applicable

Transport hazard class: Not applicable

Packing group: Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: No data available.

Proper shipping name or technical name: Not applicable

Transport hazard class: Not applicable

Packing group: Not applicable

International carriage of dangerous goods by air (IATA):

UN number: No data available.

Transport hazard class: Not applicable

Packing group: Not applicable

Environmental hazards for transport purposes: No

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): No data available.

Special precautions for user: Consult IMO regulations before transporting in bulk by ocean.

HAZCHEM Code or Emergency Action Code: Not applicable

Section 15 - Regulatory information

INVENTORY STATUS

AUSTRALIA AICS: All ingredients in this mixture are listed in the Australian Inventory of Chemical Substances.

U.S. TSCA Inventory: The product contains a substance that is not listed on the TSCA inventory.

CANADA DSL: This product contains one or more components which have not been determined to be on the DSL. If you are the importer of this product into Canada, contact H.B. Fuller for chemical tracking and

Safety Data Sheet

Prepared in accordance with WHS Regulations

Stock Number: 846366PM

Revision Date: None

This document replaces SDS dated: None

FULACALK AC REDWOOD

EU REACH: notification information.
As a result of the introduction of REACH into Europe, this product cannot be imported into Europe unless the REACH requirements are met.

If you need more information about the inventory status of this product call 1+ 651-236-5858.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP):

Not a scheduled poison

Section 16 - Any other relevant information

SDS Prepared by:

Revision Date: None

Revision Number: 1

Prepared by: AP Product Stewardship team Contact: 1-651-236-5842

Other Info:

The information is considered correct, but is not exhaustive and will be used only as guidance, which is based on the current knowledge of the chemical or mixture and is applicable to the precautions of appropriate security for the product.

: H411 - Toxic to aquatic life with long lasting effects., H410 - Very toxic to aquatic life with long lasting effects., H400 - Very toxic to aquatic life., H373 - May cause damage to organs through prolonged or repeated exposure., H372 - Causes damage to organs through prolonged or repeated exposure., H361f - Suspected of damaging fertility., H360D - May damage the unborn child., H335 - May cause respiratory irritation., H332 - Harmful if inhaled., H330 - Fatal if inhaled., H319 - Causes serious eye irritation., H318 - Causes serious eye damage., H317 - May cause an allergic skin reaction., H315 - Causes skin irritation., H314 - Causes severe skin burns and eye damage., H312+H332 - Harmful in contact with skin or if inhaled., H311+H331 - Toxic in contact with skin or if inhaled., H304 - May be fatal if swallowed and enters airways., H302+H332 - Harmful if swallowed or if inhaled., H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled., H302 - Harmful if swallowed., H226 - Flammable liquid and vapour., H225 -

Safety Data Sheet

Prepared in accordance with WHS Regulations

Stock Number: 846366PM

Revision Date: None

This document replaces SDS dated: None

FULACALK AC REDWOOD

Highly flammable liquid and vapour., H360 - May damage fertility or the unborn child., H350 - May cause cancer., H341 - Suspected of causing genetic defects., H340 - May cause genetic defects.

Key abbreviations or acronyms used:

CAS = Chemical Abstract Service
DNEL= Derivative No Effect Level
EC= European Community
EINECS = European Inventory of Existing Chemical Substances
MSHA = Mine Safety Health Administration
NIOSH = National Institute of Occupational Safety & Health
OEL = Occupational Exposure Limit
PBT= Persistent, Bioaccumulative, Toxic
PNEC= Predicted No Effect Concentration
SCOEL= Scientific Committee on Occupational Exposure Limits
TLV = Threshold Limit Value
TWA= Time Weighted Average
vPvB= Very Persistent, Very Bioaccumulative
Wt.% = Weight Percent

Disclaimer:

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B. Fuller Company Australia Pty. Ltd. from its suppliers, and because H.B. Fuller Company Australia Pty. Ltd. has no control over the conditions of handling and use, H.B. Fuller Company Australia Pty. Ltd. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B. Fuller Company Australia Pty. Ltd. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company Australia Pty. Ltd. products to comply with all applicable federal, state and local laws and regulations.