

Version Revision Date: SDS Number: Date of last issue: 21.04.2021
1.1 26.04.2021 100000012705 Date of first issue: 21.04.2021

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : STURDIBOND Product code : 100000012705

Manufacturer or supplier's details

Company : H.B. Fuller Company Australia Pty. Ltd.

Address : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone : +611800423855

Emergency telephone number : 1800 033 111(AU) 0800 734 607(NZ)

Recommended use of the chemical and restrictions on use

Recommended use : Solvent based adhesive

Restrictions on use : For industrial use only.

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids : Category 2

Skin corrosion/irritation : Category 2

Reproductive toxicity : Category 2

Specific target organ toxicity - : Ca

repeated exposure

Category 2

Aspiration hazard : Category 1

**GHS** label elements

Hazard pictograms :









 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.04.2021

 1.1
 26.04.2021
 100000012705
 Date of first issue: 21.04.2021

Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs through prolonged or re-

peated exposure.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting equip-

nent.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

P281 Use personal protective equipment as required.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.



Version Revision Date: SDS Number: Date of last issue: 21.04.2021
1.1 26.04.2021 100000012705 Date of first issue: 21.04.2021

#### Other hazards which do not result in classification

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
quartz (SiO2)	14808-60-7	>= 10 -< 30
kaolin	1332-58-7	>= 10 -< 30
Naphtha (petroleum), hydrotreated light	64742-49-0	>= 10 -< 20
toluene	108-88-3	>= 10 -< 20

#### **SECTION 4. FIRST AID MEASURES**

General advice : Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water at least 15 minutes. Get medical atten-

tion if eye irritation develops or persists.

If swallowed : Do NOT induce vomiting.

If victim is fully conscious, give a cupful of water.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

None known.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Specific hazards during fire-

fighting

Cool closed containers exposed to fire with water spray.



Version 1.1

Revision Date: 26.04.2021

SDS Number: 100000012705

Date of last issue: 21.04.2021 Date of first issue: 21.04.2021

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Hazchem Code : •3Y

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emergency procedures

Remove all sources of ignition.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material.

Sweep up and shovel into suitable containers for disposal.

Non-sparking tools should be used.

### **SECTION 7. HANDLING AND STORAGE**

Local/Total ventilation : Use only with adequate ventilation.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of

ignition.

Mixture may charge electrostatically: always use earthing leads when transferring from one container to another.

Keep in a bunded area.

Keep away from sources of ignition - No smoking.

Take measures to prevent the build up of electrostatic charge.

Use explosion-proof equipment.

Use only in area provided with appropriate exhaust ventilation.

Vapours may form explosive mixtures with air.

Advice on safe handling : Avoid inhalation of vapour or mist.

Do not use in areas without adequate ventilation. Keep away from fire, sparks and heated surfaces.

Keep container closed when not in use.

Take precautionary measures against static discharges.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Provide adequate ventilation.

Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.

Use explosion-proof equipment.

Keep containers tightly closed in a dry, cool and well-

ventilated place.



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.04.2021

 1.1
 26.04.2021
 100000012705
 Date of first issue: 21.04.2021

Keep away from sources of ignition - No smoking.

Solvent vapours are heavier than air and may spread along

floors.

Materials to avoid : Strong oxidizing agents

Further information on stor-

age stability

Stable under normal conditions.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
quartz (SiO2)	14808-60-7	TWA (Respirable dust)	0.05 mg/m3	AU OEL	
	Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans				
		TWA (Respirable particulate matter)	0.025 mg/m3	ACGIH	
kaolin	1332-58-7	TWA	10 mg/m3	AU OEL	
	Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica				
		TWA (Respirable particulate matter)	2 mg/m3	ACGIH	
Naphtha (petroleum), hy- drotreated light	64742-49-0	TWA	900 mg/m3	AU OEL	
toluene	108-88-3	TWA	50 ppm 191 mg/m3	AU OEL	
	Further information: Skin absorption				
		STEL	150 ppm 574 mg/m3	AU OEL	
	Further information: Skin absorption				
		TWA	20 ppm	ACGIH	

## **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
toluene	108-88-3	Toluene	In blood	Prior to last shift	0.02 mg/l	ACGIH BEI



Version Revision Date: SDS Number: Date of last issue: 21.04.2021 1.1 26.04.2021 100000012705 Date of first issue: 21.04.2021

		of work- week		
Toluene	Urine	End of shift (As soon as possible after exposure ceases)	0.03 mg/l	ACGIH BEI

**Engineering measures** : Use local exhaust ventilation or other engineering controls to

minimize exposures.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Organic vapour type

Hand protection

Material : Solvent-resistant gloves

Eye protection : Safety glasses with side-shields

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : tan

Odour : solvent-like

Odour Threshold : No data available

Melting point/freezing point : is not determined

Boiling point/boiling range : is not determined

Evaporation rate : is not determined

Upper explosion limit / Upper

flammability limit

Upper flammability limit

is not determined



Version 1.1

Revision Date: 26.04.2021

SDS Number: 100000012705 Date of last issue: 21.04.2021 Date of first issue: 21.04.2021

Lower explosion limit / Lower : Lower flammability limit

flammability limit

is not determined

Vapour pressure is not determined

1.160 g/cm3 Density

Solubility(ies)

Water solubility is not determined

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature is not determined

Viscosity

Viscosity, dynamic is not determined

Viscosity, kinematic is not determined

# **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability The product is chemically stable.

Possibility of hazardous reac- :

tions

Hazardous polymerisation does not occur.

Conditions to avoid Heat, flames and sparks.

Hazardous decomposition

products

Stable under normal conditions.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

#### **Components:**

#### toluene:

Acute oral toxicity LD50 Oral (Rat): 5,580 mg/kg

LC50 (Rat): 12.5 mg/l Acute inhalation toxicity

Exposure time: 4 h



Version 1.1

Revision Date: 26.04.2021

SDS Number: 100000012705

Date of last issue: 21.04.2021 Date of first issue: 21.04.2021

Skin corrosion/irritation

**Product:** 

Remarks : No data available

Serious eye damage/eye irritation

**Product:** 

Remarks : No data available

**Chronic toxicity** 

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Carcinogenicity

**Product:** 

Remarks : No data available

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

STOT - single exposure

**Product:** 

Remarks : No data available

STOT - repeated exposure

**Product:** 

Remarks : No data available



Version 1.1

Revision Date: 26.04.2021

SDS Number: 100000012705

Date of last issue: 21.04.2021 Date of first issue: 21.04.2021

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

#### **Components:**

toluene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5.8 mg/l

Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 5.46 - 9.83 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): 12.5

mg/l

Exposure time: 72 h Test Type: static test

### Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

# Mobility in soil

No data available

## Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues : Dispose of as hazardous waste in compliance with local and

national regulations.

The hazard and precautionary statements displayed on the

label also apply to any residues left in the container.

## **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

**UNRTDG** 

UN number : UN 1133
Proper shipping name : ADHESIVES



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.04.2021

 1.1
 26.04.2021
 100000012705
 Date of first issue: 21.04.2021

Class : 3
Packing group : III
Labels : 3

IATA-DGR

Not permitted for transport

**IMDG-Code** 

UN number : UN 1133
Proper shipping name : ADHESIVES

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : no

Transport in bulk asserding to Ann

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

**ADG** 

UN number : UN 1133
Proper shipping name : ADHESIVES

Class : 3
Packing group : III
Labels : 3
Hazchem Code : •3Y

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule number allocated

Scheduling of Medicines and

Poisons

Prohibition/Licensing Requirements : quartz (SiO2)

Refer to model WHS Act and Regulations for prohibition, authorisation

and restricted use.



Version Revision Date: SDS Number: Date of last issue: 21.04.2021 1.1 26.04.2021 100000012705 Date of first issue: 21.04.2021

The components of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

DSL : This product contains one or several components that are not

on the Canadian DSL nor NDSL.

REACH : Not in compliance with the inventory

AIIC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory

### **SECTION 16. OTHER INFORMATION**

**Further information** 

Revision Date : 26.04.2021

Contact Point : Prepared by: Global Regulatory Department - phone: 1-651-

236-5842 - email: msds.request@hbfuller.com

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

ACGIH / TWA : 8-hour, time-weighted average

AU OEL / TWA : Exposure standard - time weighted average AU OEL / STEL : Exposure standard - short term exposure limit



Version Revision Date: SDS Number: Date of last issue: 21.04.2021 1.1 26.04.2021 100000012705 Date of first issue: 21.04.2021

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN