

SAFETY DATA SHEET

Version 1.3 Revision Date: 29.06.2026 SDS Number: 100000013356 Date of last issue: 11.06.2026
Date of first issue: 25.06.2021

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 300 SILICONE WHITE
Product code : 100000013356

Manufacturer or supplier's details

Company : H.B. Fuller Company Australia Pty. Ltd.

Address : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone : +611800423855

Emergency telephone number : 1800 033 111(AU) 0800 734 607(NZ)

Recommended use of the chemical and restrictions on use

Recommended use : Water based adhesive

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irritation : Category 2A

Skin sensitisation : Category 1

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 11.06.2026
1.3	29.06.2026	100000013356	Date of first issue: 25.06.2021

Precautionary statements : **Prevention:**

P261 Avoid breathing dust.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
butan-2-one O,O',O''-(methylsilylidyne)trioxime	22984-54-9	>= 1 -< 10
silicon dioxide	7631-86-9	< 10
dimethylbis[(1-oxoneodecyl)oxy]stannane	68928-76-7	< 10
silicon dioxide	7631-86-9	>= 5 -< 10
butan-2-one O,O',O''-(methylsilylidyne)trioxime	22984-54-9	>= 1 -< 5
butan-2-one O,O',O''-(vinylsilylidyne)trioxime	2224-33-1	>= 1 -< 3
Ultramarine blue	57455-37-5	>= 1 -< 5
octamethylcyclotetrasiloxane	556-67-2	>= 0.1 -< 1
dimethylbis[(1-oxoneodecyl)oxy]stannane	68928-76-7	>= 0.1 -< 1
3-aminopropyltriethoxysilane	919-30-2	>= 0.1 -< 1

SECTION 4. FIRST AID MEASURES

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 11.06.2026
1.3	29.06.2026	100000013356	Date of first issue: 25.06.2021

- General advice : If on clothes, remove clothes.
Show this safety data sheet to the doctor in attendance.
- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
In case of unconsciousness bring patient into stable side position for transport.
- In case of skin contact : Wash off immediately with plenty of water.
Call a physician if irritation develops or persists.
- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- If swallowed : Do NOT induce vomiting.
If accidentally swallowed obtain immediate medical attention.
If conscious, drink fresh water.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Causes serious eye irritation.
- Notes to physician : No further relevant information available.
-

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water mist
Foam
Dry powder
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : Do NOT use water jet.
- Specific hazards during fire-fighting : Cool closed containers exposed to fire with water spray.
- Specific extinguishing methods : This product is an aqueous mixture that will not burn. Dried product film will burn in a fire.
In the event of fire, wear self-contained breathing apparatus.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : No special protective measures against fire required.
-

SAFETY DATA SHEET

Version 1.3	Revision Date: 29.06.2026	SDS Number: 100000013356	Date of last issue: 11.06.2026 Date of first issue: 25.06.2021
----------------	------------------------------	-----------------------------	---

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
Dilute with much water.
- Methods and materials for containment and cleaning up : Ensure adequate ventilation.
Send for recovery or disposal in suitable containers.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

SECTION 7. HANDLING AND STORAGE

- Local/Total ventilation : Use only with adequate ventilation.
- Advice on protection against fire and explosion : In the event of fire and/or explosion do not breathe fumes.
Wear self-contained breathing apparatus and protective suit.
Have fire extinguishing equipment ready in case of nearby fire.
- Advice on safe handling : Avoid formation of aerosol.
Handle with care.
Keep eye wash bottle available on working place.
Keep out of reach of children.
Avoid release to the environment.
- Conditions for safe storage : Do not freeze.
Keep container closed when not in use.
Keep tightly closed in a dry and cool place.
Protect against light.
- Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
silicon dioxide	7631-86-9	TWA (Respirable dust)	2 mg/m ³	AU OEL

SAFETY DATA SHEET

Version 1.3 Revision Date: 29.06.2026 SDS Number: 100000013356 Date of last issue: 11.06.2026
 Date of first issue: 25.06.2021

		TWA (Respirable)	2 mg/m ³	AU OEL
	Further information: See chapter 14, National Commission documentation available for these values			
dimethylbis[(1-oxoneodecyl)oxy]stannane	68928-76-7	TWA	0.1 mg/m ³ (Tin)	AU OEL
	Further information: Skin absorption			
		STEL	0.2 mg/m ³ (Tin)	AU OEL
	Further information: Skin absorption			

Engineering measures : Please take care on national and local requirements.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. In case of brief exposure or low pollution (exceeding of TLV) use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

Filter type : Organic vapour type or equipment with better protection

Hand protection
Material : Protective gloves

Remarks : Direct contact with the product must be avoided by organizational measures.
 The glove material has to be impermeable and resistant to the product/the substance/the preparation.
 The exact break through time can be obtained from the protective glove producer and this has to be observed.
 The gloves need to be disposed after the penetration time and replaced by new ones.
 Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.
For the permanent contact gloves made of the following materials are suitable:
 If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the Alphatec®/Barrier 02-100 PE-underglove from Ansell or other suppliers (penetration time: 480 min).

SAFETY DATA SHEET

Version 1.3	Revision Date: 29.06.2026	SDS Number: 100000013356	Date of last issue: 11.06.2026 Date of first issue: 25.06.2021
----------------	------------------------------	-----------------------------	---

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber (minimum thickness: 0.7 mm; penetration time: 15 min)

As protection from splashes gloves made of the following materials are suitable:

Nitril (minimum thickness 0.12 mm), Disposable gloves with long cuffs

After contact with the chemical preparation, take the disposable nitrile glove off immediately and put on a new disposable nitrile glove.

- | | | |
|--------------------------|---|---|
| Eye protection | : | Tightly fitting safety goggles or equipment with better protection |
| Skin and body protection | : | Protective clothing |
| Protective measures | : | Keep away from food, drink and animal feedingstuffs.
Instantly remove any soiled and impregnated garments.
Wash hands before breaks and immediately after handling the product.
Avoid contact with the eyes and skin.
Store protective clothing separately. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- | | | |
|------------------------------|---|-------------------|
| Appearance | : | paste |
| Colour | : | white |
| Odour | : | characteristic |
| Odour Threshold | : | is not determined |
| Melting point/freezing point | : | 0 °C |
| Boiling point/boiling range | : | 100 °C |
| Flash point | : | Not applicable |

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 11.06.2026
1.3	29.06.2026	10000013356	Date of first issue: 25.06.2021

Evaporation rate	:	is not determined
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	Upper flammability limit is not determined
Lower explosion limit / Lower flammability limit	:	Lower flammability limit is not determined
Vapour pressure	:	23 hPa (20 °C)
Relative vapour density	:	is not determined
Density	:	1.02 g/cm ³
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	not self-igniting
Decomposition temperature	:	Not applicable
Explosive properties	:	Not explosive

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No further relevant information available.
Chemical stability	:	No decomposition if used according to the specifications.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Heat may lead to dangerous pressure build-up in sealed container. Protect from frost.
Incompatible materials	:	No further relevant information available.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SAFETY DATA SHEET

Version 1.3 Revision Date: 29.06.2026 SDS Number: 100000013356 Date of last issue: 11.06.2026
Date of first issue: 25.06.2021

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components:

silicon dioxide:

Acute inhalation toxicity : > 2.2 mg/l
Exposure time: 1 Hours
Test atmosphere: dust/mist

silicon dioxide:

Acute inhalation toxicity : > 2.2 mg/l
Exposure time: 1 Hours
Test atmosphere: dust/mist

octamethylcyclotetrasiloxane:

Acute inhalation toxicity : LC50 (Rat): 36 mg/l
Exposure time: 4 Hours
Test atmosphere: vapour

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

SAFETY DATA SHEET

Version 1.3 Revision Date: 29.06.2026 SDS Number: 100000013356 Date of last issue: 11.06.2026
Date of first issue: 25.06.2021

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

octamethylcyclotetrasiloxane:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 500 mg/l
Exposure time: 96 Hours
Method: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 25.2 mg/l
Exposure time: 24 Hours
Test Type: static test

Persistence and degradability

No data available

Bioaccumulative potential

Components:

butan-2-one O,O',O''-(methylsilylidyne)trioxime:

Partition coefficient: n-octanol/water : log Pow: 0.59 - 0.65 (20 °C)
GLP: no

butan-2-one O,O',O''-(methylsilylidyne)trioxime:

Partition coefficient: n-octanol/water : log Pow: 0.59 - 0.65 (20 °C)
GLP: no

butan-2-one O,O',O''-(vinylsilylidyne)trioxime:

Partition coefficient: n-octanol/water : log Pow: 0.59 - 0.65 (20 °C)
GLP: no

octamethylcyclotetrasiloxane:

Partition coefficient: n-octanol/water : log Pow: 5.1

SAFETY DATA SHEET

Version 1.3 Revision Date: 29.06.2026 SDS Number: 100000013356 Date of last issue: 11.06.2026
Date of first issue: 25.06.2021

Mobility in soil

Product:

Mobility : Medium: Soil
Remarks: Do not allow product to reach ground water, water bodies or sewage system.

Other adverse effects

Components:

octamethylcyclotetrasiloxane:

Results of PBT and vPvB assessment : Persistent, Bioaccumulative and Toxic (PBT).

: Very persistent and very bioaccumulative (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of with domestic refuse.
Do not dispose of waste into sewer.
The generation of waste should be avoided or minimized wherever possible.
Hand over to disposers of hazardous waste.
Incineration under approved, controlled conditions using incinerators suitable or designed for the disposal of hazardous chemical wastes, is the preferred method for disposal.
Disposal must be made according to official regulations.

Contaminated packaging : Recommended cleaning agent: Water, if necessary with cleaning agent.
Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

SAFETY DATA SHEET

Version 1.3	Revision Date: 29.06.2026	SDS Number: 100000013356	Date of last issue: 11.06.2026 Date of first issue: 25.06.2021
----------------	------------------------------	-----------------------------	---

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibition/Licensing Requirements	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.
National Code of Practice for Chemicals of Security Concern	:	Not listed

The components of this product are reported in the following inventories:

TW TCSI	:	On the inventory, or in compliance with the inventory
US TSCA	:	All substances listed as active on the TSCA inventory
AU AIIC	:	On the inventory, or in compliance with the inventory
CA DSL	:	All components of this product are on the Canadian DSL
JP ENCS	:	On the inventory, or in compliance with the inventory
KR KECI	:	On the inventory, or in compliance with the inventory
PH PICCS	:	On the inventory, or in compliance with the inventory
CN IECSC	:	On the inventory, or in compliance with the inventory
NZ NZIoC	:	On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 11.06.2026
1.3	29.06.2026	100000013356	Date of first issue: 25.06.2021

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 29.06.2026

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Contact Point : Prepared by: Global Regulatory Department AP-regulatory@hbfuller.com

Date format : dd.mm.yyyy

Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

AU OEL / TWA : Exposure standard - time weighted average

AU OEL / STEL : Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); LSPN - List of Hazardous Notified Substances (Chile); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals;

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 11.06.2026
1.3	29.06.2026	100000013356	Date of first issue: 25.06.2021

SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN